

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>1</b>	1	("5894571").PN.	USPAT; USOCR
<b>2</b>	16	o\$1connor-clint-h.in.	US-PGPUB; USPAT
<b>3</b>	5	("4433207"   "4785361"   "5371792"   "5398285"   "5416840").PN.	USPAT
<b>4</b>	16	"5745568".URPN.	USPAT
<b>5</b>	5655	((705/51-59) or (713/2,200-201)).CCLS.	US-PGPUB; USPAT; USOCR
<b>6</b>	3018	((((705/51-59) or (713/2,200-201)).CCLS.) and @ad<"19990923"	US-PGPUB; USPAT
<b>7</b>	1	("4654792").PN.	USPAT; USOCR
<b>8</b>	1	("4685055").PN.	USPAT; USOCR
<b>9</b>	707	((((705/51-59) or (713/2,200-201)).CCLS.) and @ad<"19990923") and ((software or program) near2 (deliver\$3 or order\$3 or protect\$3))	USPAT
<b>10</b>	907	((((705/51-59) or (713/2,200-201)).CCLS.) and @ad<"19990923") and ((software or program) near2 (deliver\$3 or order\$3 or protect\$3 or distribut\$3))	US-PGPUB; USPAT
<b>11</b>	26	(((((705/51-59) or (713/2,200-201)).CCLS.) and @ad<"19990923") and ((software or program) near2 (deliver\$3 or order\$3 or protect\$3 or distribut\$3))) and ((computer or hardware) near2 serial adj number)	USPAT
<b>12</b>	531	(713/189,191,193).CCLS.	USPAT; USOCR
<b>13</b>	22	(((((705/51-59) or (713/2,200-201)).CCLS.) and @ad<"19990923") and ((software or program) near2 (deliver\$3 or order\$3 or protect\$3 or distribut\$3))) and ((program or software) adj ID)	USPAT

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>14</b>	47	((713/189,191,193).CCLS.) and @ad<"19990923") and ((software or program) near2 (upgrad\$3 or updat\$3))	USPAT
<b>15</b>	490	((713/189,191,193).CCLS.) and @ad<"19990923"	USPAT
<b>16</b>	443	((713/189,191,193).CCLS.) and @ad<"19990923") not (((713/189,191,193).CCLS.) and @ad<"19990923") and ((software or program) near2 (upgrad\$3 or updat\$3)))	USPAT
<b>17</b>	0	705/51-59.ccls and @ad<"19990923"	US-PGPUB; USPAT
<b>18</b>	813	705/51-59.ccls. and @ad<"19990923"	US-PGPUB; USPAT
<b>19</b>	9	gilley-james-e.in.	US-PGPUB; USPAT
<b>20</b>	5	fink-william-m	US-PGPUB; USPAT
<b>21</b>	715	(713/2).CCLS.	USPAT; USOCR
<b>22</b>	0	toh-ker-s.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>23</b>	0	lim-lay-s.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>24</b>	0	poon-chee-s.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>25</b>	0	debacker-dwight-a.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
26	0	lance-john-w.in..	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	125	(software or program) near2 (deliver\$3 or order\$3 or distribut\$3) with ((serial adj number) or ((software or program) adj ID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	2	(software or program) near2 (deliver\$3 or order\$3 or distribut\$3) with ((serial adj number) and ((software or program) adj ID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	3	(software or program) near2 (deliver\$3 or order\$3 or distribut\$3 or install\$3) with ((serial adj number) and ((software or program) adj ID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	244	(software or program) near2 (deliver\$3 or order\$3 or distribut\$3 or install\$3) with ((serial adj number) or ((software or program) adj ID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	84	((software or program) near2 (deliver\$3 or order\$3 or distribut\$3 or install\$3) with ((serial adj number) or ((software or program) adj ID)) ) and @ad<"19990923"	USPAT
32	104	((software or program) near2 (deliver\$3 or order\$3 or distribut\$3 or install\$3) with ((serial adj number) or ((software or program) adj ID)) ) and @ad<"19990923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	20	((software or program) near2 (deliver\$3 or order\$3 or distribut\$3 or install\$3) with ((serial adj number) or ((software or program) adj ID)) ) and @ad<"19990923" not ((software or program) near2 (deliver\$3 or order\$3 or distribut\$3 or install\$3) with ((serial adj number) or ((software or program) adj ID)) ) and @ad<"19990923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
34	247	(717/169,172,175,177).CCLS.	US-PGPUB; USPAT; USOCR
35	161	((717/169,172,175,177).CCLS.) and @ad<"19990923"	US-PGPUB; USPAT
36	89	(storage adj (device or medium)) with ((software or program or module) adj (id or identification or number)) and @ad<"19990923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	16	("4199809"   "4430704"   "4481578"   "4538224"   "4590557"   "4623963"   "4663707"   "4720812"   "4803623"   "4899136"   "5068780"   "5083800"   "5093915"   "5210875"   "5237689"   "5307497").PN.	USPAT
38	29	"5542082".URPN.	USPAT
39	9	("3609697"   "4433207"   "4471163"   "4683553"   "4685055"   "4866769"   "4903296"   "4932054"   "4959861").PN.	USPAT
40	37	"5933497".URPN.	USPAT
41	118	"4471163".URPN.	USPAT
42	7	("4471163"   "4651279"   "4866769"   "4888798"   "5291598"   "5319705"   "5499295").PN.	USPAT
43	6	"5694469".URPN.	USPAT
44	7	("5113518"   "5230052"   "5325532"   "5371792"   "5418918"   "5459867"   "5504904").PN.	USPAT
45	35	((program or software) adj (id or identifier or number)) with (non\$1volatile adj memory) and @ad<"19990923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	1	("4446519").PN.	USPAT; USOCR
47	130	"4446519".URPN.	USPAT

	Hits	Search Text	DBs
48	37	("4247106"   "4439670"   "4446519"   "4484217"   "4558176"   "4590557"   "4646234"   "4649510"   "4654799"   "4658093"   "4672554"   "4674055"   "4740890"   "4780905"   "4787050"   "4816653"   "4816654"   "4817140"   "4864516"   "4879645"   "4949257"   "4999806"   "5006849"   "5008814"   "5014234"   "5016009"   "5051822"   "5056009"   "5103392"   "5103476"   "5166886"   "5181107"   "5199066"   "5214697"   "5222134"   "5245330"   "5267171").PN.	USPAT
49	6	"5832083".URPN.	USPAT
50	60	"5199066".URPN.	USPAT
51	1	("6237020").PN.	USPAT; USOCR
52	1	("5995757").PN.	USPAT; USOCR
53	1	("5991543").PN.	USPAT; USOCR
54	1	("6247126").PN.	USPAT; USOCR
55	1540	(build\$1to\$1configure or btc or configure\$1to\$1order or cto) and @ad<"19990923"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	26	((build\$1to\$1configure or btc or configure\$1to\$1order or cto) and @ad<"19990923") and ((program or software) near3 install\$5)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	13	beelitz-alan-e.in.	USPAT
58	14	("5142680"   "5210875"   "5367686"   "5418918"   "5469573"   "5546585"   "5555416"   "5684996"   "5692190"   "5694600"   "5696975"   "5715456"   "5715463"   "5717930").PN.	USPAT
59	97	(((software or program or content) adj (id or identifier)) with (cd\$1rom or disk or (storage adj medium))) and @ad<"19990923"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
60	9	sakamoto-emiko.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	175	((717/169,172,175,177).CCLS.) and @ad<"19990923"	US-PGPUB; USPAT
62	92	((storage adj (device or medium)) with ((software or program or module) adj (id or identification or number)) and @ad<"19990923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	8	("4849927"   "4959860"   "5237616"   "5563946"   "5754646"   "5978482"   "6044157"   "6314409").PN.	USPAT
64	16	("4199809"   "4430704"   "4481578"   "4538224"   "4590557"   "4623963"   "4663707"   "4720812"   "4803623"   "4899136"   "5068780"   "5083800"   "5093915"   "5210875"   "5237689"   "5307497").PN.	USPAT
65	31	"5542082".URPN.	USPAT
66	9	("3609697"   "4433207"   "4471163"   "4683553"   "4685055"   "4866769"   "4903296"   "4932054"   "4959861").PN.	USPAT
67	44	"5933497".URPN.	USPAT
68	7	("4471163"   "4651279"   "4866769"   "4888798"   "5291598"   "5319705"   "5499295").PN.	USPAT
69	6	"5694469".URPN.	USPAT
70	7	("5113518"   "5230052"   "5325532"   "5371792"   "5418918"   "5459867"   "5504904").PN.	USPAT
71	35	((program or software) adj (id or identifier or number)) with (non\$1volatile adj memory) and @ad<"19990923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
72	26	((build\$1to\$1configure or btc or configure\$1to\$1order or cto) and @ad<"19990923") and ((program or software) near3 install\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	13	beelitz-alan-e.in.	US-PGPUB; USPAT
74	98	(((software or program or content) adj (id or identifier)) with (cd\$1rom or disk or (storage adj medium))) and @ad<"19990923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	269	(((software or program or content) adj (id or identifier)) with (cd\$1rom or disk or (storage adj medium)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	19	("4558176"   "4975898"   "5182770"   "5295126"   "5319627"   "5363352"   "5436770"   "5461220"   "5461603"   "5541903"   "5592452"   "5592511"   "5687397"   "5761301"   "5805551"   "5835509"   "5978350"   "6044436"   "6094723").PN.	USPAT
77	9	sakamoto-emiko.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	45	"5058162".URPN.	USPAT
79	17	("4528643"   "4677604"   "4905163"   "4985615"   "5010571"   "5058162"   "5065429"   "5191611"   "5204897"   "5276901"   "5291601"   "5319705"   "5400319"   "5412717"   "5457746"   "5553139"   "5646992").PN.	USPAT
80	56	("5933497").URPN.	USPAT
81	49	("5717930").URPN.	USPAT

	Hits	Search Text	DBs
82	92	(storage adj (device or medium)) with ((software or program or module) adj (id or identification or number)) and @ad<"19990923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
83	16	("4199809"   "4430704"   "4481578"   "4538224"   "4590557"   "4623963"   "4663707"   "4720812"   "4803623"   "4899136"   "5068780"   "5083800"   "5093915"   "5210875"   "5237689"   "5307497").PN.	USPAT
84	31	"5542082".URPN.	USPAT
85	9	("3609697"   "4433207"   "4471163"   "4683553"   "4685055"   "4866769"   "4903296"   "4932054"   "4959861").PN.	USPAT
86	56	"5933497".URPN.	USPAT
87	119	"4471163".URPN.	USPAT
88	7	("4471163"   "4651279"   "4866769"   "4888798"   "5291598"   "5319705"   "5499295").PN.	USPAT
89	6	"5694469".URPN.	USPAT
90	7	("5113518"   "5230052"   "5325532"   "5371792"   "5418918"   "5459867"   "5504904").PN.	USPAT
91	35	((program or software) adj (id or identifier or number)) with (non\$1volatile adj memory) and (@ad<"19990923" or @rlad<"1990923")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
92	131	"4446519".URPN.	USPAT

	Hits	Search Text	DBs
93	37	("4247106"   "4439670"   "4446519"   "4484217"   "4558176"   "4590557"   "4646234"   "4649510"   "4654799"   "4658093"   "4672554"   "4674055"   "4740890"   "4780905"   "4787050"   "4816653"   "4816654"   "4817140"   "4864516"   "4879645"   "4949257"   "4999806"   "5006849"   "5008814"   "5014234"   "5016009"   "5051822"   "5056009"   "5103392"   "5103476"   "5166886"   "5181107"   "5199066"   "5214697"   "5222134"   "5245330"   "5267171").PN.	USPAT
94	10	"5832083".URPN.	USPAT
95	70	"5199066".URPN.	USPAT
96	29	((build\$1to\$1configure or btc or configure\$1to\$1order or cto) and (@ad<"19990923" or @rlad<"19990923")) and ((program or software) near3 install\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
97	13	beelitz-alan-e.in.	US-PGPUB; USPAT
98	14	("5142680"   "5210875"   "5367686"   "5418918"   "5469573"   "5546585"   "5555416"   "5684996"   "5692190"   "5694600"   "5696975"   "5715456"   "5715463"   "5717930").PN.	USPAT
99	171	(((software or program or content) adj (id or identifier)) with (cd\$1rom or disk or (storage adj medium))) and (@ad<"19990923" or @rlad<"19990923")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
100	129	S169 and ((software or program\$1) near3 install\$3 or load\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
101	9	sakamoto-emiko.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
102	92	(storage adj (device or medium)) with ((software or program or module) adj (id or identification or number)) and @ad<"19990923"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
103	8	("4849927"   "4959860"   "5237616"   "5563946"   "5754646"   "5978482"   "6044157"   "6314409").PN.	USPAT
104	16	("4199809"   "4430704"   "4481578"   "4538224"   "4590557"   "4623963"   "4663707"   "4720812"   "4803623"   "4899136"   "5068780"   "5083800"   "5093915"   "5210875"   "5237689"   "5307497").PN.	USPAT
105	31	"5542082".URPN.	USPAT
106	9	("3609697"   "4433207"   "4471163"   "4683553"   "4685055"   "4866769"   "4903296"   "4932054"   "4959861").PN.	USPAT
107	56	"5933497".URPN.	USPAT
108	7	("4471163"   "4651279"   "4866769"   "4888798"   "5291598"   "5319705"   "5499295").PN.	USPAT
109	6	"5694469".URPN.	USPAT
110	7	("5113518"   "5230052"   "5325532"   "5371792"   "5418918"   "5459867"   "5504904").PN.	USPAT
111	39	((program or software) adj (id or identifier or number)) with (non\$1volatile adj memory) and (@ad<"19990923" or @rlad<"19990923")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>112</b>	19	("4558176"   "4975898"   "5182770"   "5295126"   "5319627"   "5363352"   "5436770"   "5461220"   "5461603"   "5541903"   "5592452"   "5592511"   "5687397"   "5761301"   "5805551"   "5835509"   "5978350"   "6044436"   "6094723").PN.	USPAT
<b>113</b>	48	"5058162".URPN.	USPAT